





The instrument that grows with you

Expansion Contents

Now you can make your original Voice and Drum kit using Yamaha Expansion Manager and utilize **512MB** memory! Simply, prepare your own samples (.wav, .aif, .aiff, .sf2) and edit some parameter on your computer using Yamaha Expansion Manager.

You can create and share your original contents with your friends! Also you can pick the contents from various Expansion Packs and form your original pack to install to your instrument. You can download Yamaha Expansion Manager from Yamaha website for free.



Voice / Drum kit edit

USB Audio / Audio Link Multipads

Whether you' re enhancing a live performance with backing tracks from your music library, the time stretch, pitch shift, and vocal cancel of the USB audio player will add depth and versatility to any musical event.

Audio Link Multi Pad function lets you link your own audio files (sound effects, vocal phrases, and so on), and trigger them from the Pads as you perform.



Joystick and Live Control function

PSR-A3000 is equipped with joystick which has intuitive control of pitch and modulation. Now you can play with rapid trills, dynamic pitch bends, and finely-nuanced modulation, all from a single, easily-configured controller.

Not only essential "Pitch Bend" and "Modulation" parameter, but also



Joystick with assignable function

other parameter, such as
Filter, Track-Mute, and more
can be assigned and
changed in an instant. This
feature will add another
perspective to your
performance. Add a unique
flavor to your performance!





^{PSR}**A3**000

The PSR-A3000 is equipped with Joystick for intuitive control of your performance and gives you real expressive sound. It also supports Yamaha Expansion Manager for Voice creation feature from your recorded sample and Expansion contents arrangement.

Super Articulation Oriental Voice and Mono Legato function

New Oriental Super Articulation Voice will reproduce the real instrument's unique characteristics such as vibrato, tremolo, and many other.

Even for non-Super Articulation Voices, there is new feature "Mono Legato" which allows you to play trill phrase without using joystick, perfectly match with Oriental string instruments!

For all Voice, Scale Setting Buttons support any type of tuning.





Scale Tuning and Scale Setting Buttons

Big Speaker Box and Punchy Sound

Big Speaker Box with new Digital Amp, tuned to produce Powerful sound brings you not only the larger volume, but also punchy and ambience of the real instrument.

(Speaker Box is 48% larger than PSR-A2000)

Drum Setup function

In the Style Creator, you can edit various parameters of Drum kit in detail, and you can merge the favorite "instrument" with various from Drum kit.

Enjoy playing Styles with your unique Drum kit!



Drum Setup display

Color Display

For simple intuitive control of the powerful features and capabilities of this advanced keyboard, the PSR-A3000 comes equipped with a large color LCD that allows you to monitor the status of your instrument at a glance,

and gives you easy access to valuable performance functions.





Specifications

Month Mont	Cize and Weight	Dimensions[W v D v H]		1.002 v.427 v.140 mm
Concession Soly Color	Size and Weight	Dimensions[W x D x H]		1,002 x 437 x 148mm
Interface Sephoad S	Color/Finish		Color	
Type				
	interface	Reyboard		
Page				
Motif Park		lovstick	Touch nesponse	
Property Symmotion Symmo				
Pace			Type/Size	
Note		S.Sp.uy		
Volces Tone Generation Tone Generation Amount of Volcybinny Amount of Volcybinny Fleed Number of Volcybinny (Namber of Volcybinny) 1075 Art Voices 2 30 Mean 25 Mea		Panel		
Polyphory Number of Polyphory (Max) 128	Voices			
Proced				
Feature Vicine Feature Vicine 107 5.Art Vicine 20 MegaVicine, of 15 color Vicine, pl Color Vicine, pl Color Vicine, pl Color Vicine 20 Color Vicin				
Expandability Expandabilit		110500		
Figural Action Expandability Expandability Expandability Compatibility Compatibility Right 1. Hight 2. Left Compatibility Month 2. Left Right 1. Hight 2. Left Commandame Septemble 1. Left Septemble 1. Left Commandame Septemble 1. Left Septemble 1. Left Market Compressor 3 Presetts + 10 love Market Compressor 3 Presetts + 10 love Market Compressor 7 2 Part Cy Fair Cy 7 2 Part Cy Fine Part Cy Part Cy Compatibility Part Cy Compatibility Part Cy Compatibility Septemble Part Cy			reatarea voices	(including 171 Oriental Voices, 50 Griental Kits)
Compactability Sept		Expandability	Expansion Voice	
Fine				
Filencing				
Chorus 295 Persets + 3 User 295 Persets + 10 Us	Effects			
Page				
Mister Compressor Septests 3 Iber Sep				
Master BQ Mumber of Preset Styles 5 Presets + 2 User Syles Perset Portion Number of Preset Styles 380 Pro. 10 Session. 10 D. Fingurina Footbook Single Finger of Engrend (Impered Disported). 20 Session. 10 D. INTRO x 3, MAM WARRANT AS 14 x 4 gPSAK, NADWo x 3 T. Compatibility Expandability Spean store of the Feature of More from Max Syle File Format Syle				
Sylet				
Styles Preset Number of Preset Styles 300 Pro. 10 Season, 10 D Fingering Featured Styles Single Finger, Fingered, Fingered on Bass, Mult Finger, A Fingered, Fin				
Fingering	Styles		Number of Preset Styles	
Fingering				
		Fingering		
Expandability Expansion Syle Yes Other Feature Music Finder (Max) 1,200 Records Sengs (Milol) Perset Number of Preset Songs 4 sample Songs Fecording Number of Preset Songs 4 sample Songs Data Format Playback 3pprox 300 KB/Song Functions Playback SMF (Format 0) Functions Harmony Yes Functions Harmony Yes Functions Harmony Yes Styles Sole (creator Yes Sole (creator Yes Sole (Creator Yes Sole (Splay Function Yes Yes Yes Sole (Splay Function Yes Yes Yes Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Number of Buttons Registation Memory Performance Assistant Technology (P.A.T) Yes Audio Recorder/Player Recording Time(max.) Registation Sequence, Freeze Audio Recorder/				
One of Peature (Page 1987) Music Finder (Max) (D75) 1,200 Records Songs (MIDI) (Page 1987) Prest (Page 1987) Number of Prest Songs (Page 1987) 4 for each style (Page 1987) Recording (Page 1987) Amplifies and (Page 1987) Amplifies and (Page 1987) 4 for each style (Page 1987) Functions (Page 1987) Page 2087) Page 2087) Amplifies and (Page 1987) Approximation (Page 1987)			Expansion Style	
Songs (MIDIO) Preset Number of Presets Songs 4 Sample Songs Songs (MIDIO) Recording Preset Songs 4 Sample Songs Pecording Particle Number of Tracks 16 Data Format Playback Approx. 300 KB/Song Princitions Playback SMF Format 0 Functions Hamony Yes Functions Hamony Yes Solid Sustain Yes Appegio Yes Solid Creator Yes Songs Solig Creator Yes Song Song Creator Yes Song Song Creator Yes Song Song Creator Yes Song Song Creator Yes Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads Multi Pads				
Songs (MIDI) Preset Number of Preset Songs 4 Sample Songs Recording Member of Tracks 16 Pack (Data Capacity) Approx. 300 KB/Song Recording Function Quick Recording MIM Recording, SMF (Format 08.1). XF Functions Payback SMF (Format 08.1). XF Functions Parmony Yes Shill Grown to Mark Parmony Yes Song Style Creator Yes Parmony Yes Multi Pad Parmonic Assistant Technology (PAT)				
Recording	Songs (MIDI)	Preset	3: :	
Name of the control of the				
Performance of Pate Format De Pate Pate Pate Pate Pate Pate Pate Pat		necoraing		
Payback				
Functions		Data Format		
Functions Harmony Yes Anylife's and Yes Amplifiers and Yes Amplifiers and Yes Amplifiers and Yes Amplifiers and Yes Styles Style Creator Yes Songs Song Ceator Yes Song Cestor Yes Yes Yes Mult Pad Creation Yes Performance Assistant Fechnology (P.A.1) Yes Mult Pads Milt Pad Creation Number of Buttons Registration Sequence, Freeze Registration Memory Registration Sequence, Freeze Registration Memory Registration Sequence, Freeze Registration Memory Registration Sequence, Freeze Registration Sequence, Freeze Registration Sequence, Freeze Registration Memory Registration Sequence, Freeze Registration Memory Registration Sequence, Freeze Registration Memory Registration Sequence, Freeze Registration Sequence, Freeze Registration Sequence, Freeze Tampla Registration Sequence, Freeze Y		Bata i Simat		
Panel Sustain	Functions	Voices		
Mono/Poly	, anedons			
Style				
Styles Style (reator) Yes Songs (Song Song Song Ceator) Yes Song Yes Score Display Function Yes Lyrics Display Function Yes Wallpaper Customization Yes Lesson/Guide Follow Lights, Any Key, Karao-Key Performance Assistant Technology (P.A.T) Yes Multi Pads Multi Pad Sector Yes Multi Pads Multi Pad Sector Yes Audio Recorder/Player Recording 8 Control Registration Sequence, Freeze Recording Naw (44.1 kHz, 16bit, stereo), mp3 (41.1 kBx) kHz, 64-32 kbps and variable bit rate, mono/stereo) Recording Naw (44.1 kHz, 16bit, stereo), mp3 (41.1 kBx) kHz, 64-32 kbps and variable bit rate, mono/stereo) Metronome Yes Tempo Range 5-500 Toning 41.48.40-466.8 Hz Toning 41.48.40-466.8 Hz Toning 41.48.40-466.8 Hz Conections Yes Mill Registration Memory Yes MIDI Yes AUX IN Stero onlinicate				
Songs Song (reator Score Display Function Yes Lyrics Display Function (Ext) Epilay Epilate (Ext) Ext) Ext (Ext)		Styles		
Kan File Park In Park				
Page		30.190		
Feature Suppose Suppos				
Figure 1 Walipaper Customization Yes Lesson/Guide Follow Lights, Any Key, Karao-Key Multi Pad Multi Pad Creator Yes Registration Memory Number of Buttons 8 Control Registration Sequence, Freeze Recording Time(max.) 80 minutes/Song Recording Time(max.) 80 minutes/Song Recording Time(max.) xava (44.1kHz, 16bit, stereo) Recording Time(max.) xava (44.1kHz, 16bit, stereo) Recording Time(max.) xava (44.1kHz, 16bit, stereo), mp3 (44.1/48.0 kHz, 64-320 kbps and variable bit rate, mono/stereo) Verall Controls Recording Time(max.) Recording Time(max.) xava (44.1kHz, 16bit, stereo), mp3 (44.1/48.0 kHz, 64-320 kbps and variable bit rate, mono/stereo) Tuning 5 - 500 Transpose 12 - 0 + 12 Tuning 414.8 - 440 - 466.8 Hz Octave Button Yes Storage Sterenal Drives Storage External Drives Yes Storage Headphones Yes Storage Auxiv Yes Line Out <				
Feature (Pack (Pac				
Multi Pads Multi Pads Multi Pads Multi Pads Registration Memory Control Registration Sequence, Freeze				
Multi Pads Multi Pads (Registration Memory) Multi Pad Greator Yes Registration Memory (Dortol) Registration Sequence, Freeze Audio Recorder/Player (Padper Padpare) Recording (Recording (Recording Padpare)) 80 minutes/Song Recording (Recording (Recording Padpare)) wav (44.1kHz, 16bit, stereo), mp3 (44.1/48.0 kHz, 64-320 kbps and variable bit rate, mono/stereo) Playback (Metronome (Pampa Range) Yes Tempo Range (Pampa Range) 5-500 Tuning (Pampa Range) 12-0-±12 Tuning (Pampa Range) 12-0-±12 Tuning (Pampa Range) 12-0-±12 Tuning (Pampa Range) Yes Storage (Range) Yes Miscellaneous (Range) Direct Access Storage (Range) Yes Storage (Range) Yes Milol (Range) Yes MIDI (Range) Yes Yes (Range)				
Registration Memory		Multi Pads		
Control Registration Sequence, Freeze				
Audio Recorder/Player Recording Recording Time(max.) Recording 80 minutes/Song Audio Recorder/Player Recording Recording .wav (44.1kHz, 16bit, stereo), .mp3 (44.148.0 kHz, 64-320 kbps and variable bit rate, mono/stereo) Overall Controls Player Recording Time Remains Recording Time Remains Recording Time Remains R				Registration Sequence, Freeze
Recording wav (44.1kHz, 16bit, stereo) Playback .wav (44.1kHz, 16bit, stereo), mp3 (44.1/48.0 kHz, 64-320 kbps and variable bit rate, mono/stereo) Overall Controls Metronome Yes Tempo Range 5 - 500 Transpose -12 - 0 - + 12 Tuning 414.8 - 440 - 466.8 Hz Octave Button Yes Scale Type 9 Types, Scale Tuner buttons, Scale Memory Miscellaneous Direct Access Storage External Drives Connections Yes MIDI 1 USB Flash Memory (via USB to DEVICE) MIDI 1 (SUSTAIN), 0 (ARTICULATION 1), Function assignable USB TO DEVICE Yes MIDI Sto DEVICE 1 (SUSTAIN), 2 (ARTICULATION 1), Function assignable USB TO DEVICE Yes Amplifiers and Amplifiers 1 SW x 2			Recording Time(max.)	
Amplifiers and Metronome Yes Tempo Range 5 - 500 Tempo Range -12 - 0 - + 12 Transpose -12 - 0 - + 12 Tuning 414.8 - 440 - 466.8 Hz Octave Button Yes Scale Type 9 Types, Scale Tuner buttons, Scale Memory Storage External Drives USB Flash Memory (via USB to DEVICE) Connections Headphones Yes MIDI IN/OUT AUX IN Stereon mini jack LINE OUT L/1-H, R FOOT PEDAL 1 (SUSTAIN), 2 (ARTICULATION 1), Function assignable USB TO DEVICE Yes Amplifiers and Amplifiers 15W x 2			Recording	.wav (44.1kHz, 16bit, stereo)
Amplifiers and Metronome Yes Tempo Range 5 - 500 Tempo Range -12 - 0 - + 12 Transpose -12 - 0 - + 12 Tuning 414.8 - 440 - 466.8 Hz Octave Button Yes Scale Type 9 Types, Scale Tuner buttons, Scale Memory Storage External Drives USB Flash Memory (via USB to DEVICE) Connections Headphones Yes MIDI IN/OUT AUX IN Stereon mini jack LINE OUT L/1-H, R FOOT PEDAL 1 (SUSTAIN), 2 (ARTICULATION 1), Function assignable USB TO DEVICE Yes Amplifiers and Amplifiers 15W x 2				
Fempo Range 5 - 500 Transpose 12 - 0 - + 12 Tuning 414.8 - 440 - 466.8 Hz Octave Button Yes Scale Type 9 Types, Scale Tuner buttons, Scale Memory Miscellaneous Direct Access Storage External Drives Connections Headphones Yes MIDI Yes MIDI IN/OUT AUX IN Stere omini jack LINE OUT L/L+R, R FOOT PEDAL 1 (SUSTAIN), 2 (ARTICULATION 1), Function assignable USB TO DEVICE Yes Amplifiers and Amplifiers Tyes				
Transpose 12 - 0 - + 12 Tuning				
Fund Touring 414.8 - 440 - 466.8 Hz Octave Button Yes Scale Type 9 Types, Scale Tuner buttons, Scale Memory Miscellaneous Direct Access Storage External Drives USB Flash Memory (via USB to DEVICE) Connections MIDI Yes MIDI IN/OUT AUX IN Stereo mini jack LINE OUT L/L+R, R FOOT PEDAL 1 (SUSTAIN), 2 (ARTICULATION 1), Function assignable USB TO DEVICE Yes Amplifiers and Amplifiers 15W x 2				-12 - 0 - +12
Miscellaneous Octave Button Yes Storage External Drives USB Flash Memory (via USB to DEVICE) Connections MIDI Headphones Yes MIDI Yes MUX IN Stereo mini jack LINE OUT LINE OUT FOOT PEDAL 1 (SUSTAIN), 2 (ARTICULATION 1), Function assignable USB TO DEVICE Yes Amplifiers and Amplifiers Yes				
Scale Type 9 Types, Scale Tuner buttons, Scale Memory Miscellaneous Direct Access Yes Storage External Drives USB Flash Memory (via USB to DEVICE) Connections Headphones Yes MIDI IN/OUT AUX IN Stereo mini jack LINE OUT LIL+R, R FOOT PEDAL 1 (SUSTAIN), 2 (ARTICULATION 1), Function assignable USB TO DEVICE Yes Amplifiers and Amplifiers Type Amplifiers and Amplifiers Type Amplifiers and Amplifiers Type Miscellaneous Type USB TO DEVICE Type USB TO				
Miscellaneous Direct Access Yes Storage External Drives USB Flash Memory (via USB to DEVICE) Connections Headphones Yes MIDI IN/OUT AUX IN Stereo mini jack LINE OUT L/L+R, R FOOT PEDAL 1 (SUSTAIN), 2 (ARTICULATION 1), Function assignable USB TO DEVICE Yes USB TO HOST Yes Amplifiers and Amplifiers 15W x 2				
Storage External Drives USB Flash Memory (via USB to DEVICE) Connections Flash Memory (via USB to DEVICE) Yes MIDI IN/OUT AUX IN Stereo mini jack LINE OUT L/L+R, R FOOT PEDAL 1 (SUSTAIN), 2 (ARTICULATION 1), Function assignable USB TO DEVICE Yes Amplifiers and Amplifiers Amplifiers 15W x 2			Direct Access	
MIDI IN/OUT AUX IN Stereo mini jack LINE OUT L/L+R, R FOOT PEDAL 1 (SUSTAIN), 2 (ARTICULATION 1), Function assignable USB TO DEVICE Yes USB TO HOST Yes Amplifiers and Amplifiers Amplifiers 15W x 2				USB Flash Memory (via USB to DEVICE)
AUX IN Stereo mini jack LINE OUT L/L+R, R FOOT PEDAL 1 (SUSTAIN), 2 (ARTICULATION 1), Function assignable USB TO DEVICE Yes USB TO HOST Yes Amplifiers and Amplifiers Amplifiers 15W x 2				
LINE OUT L/L+B, R FOOT PEDAL 1 (SUSTAIN), 2 (ARTICULATION 1), Function assignable USB TO DEVICE Yes USB TO HOST Yes Amplifiers and Amplifiers Amplifiers 15W x 2				
FOOT PEDAL 1 (SUSTAIN), 2 (ARTICULATION 1), Function assignable USB TO DEVICE Yes USB TO HOST Yes Tyes Yes Y				
USB TO DEVICE Yes USB TO HOST Yes Amplifiers and Amplifiers 15W x 2				
USB TO HOST Yes Amplifiers and Amplifiers 15W x 2				1 (SUSTAIN), 2 (ARTICULATION 1), Function assignable
Amplifiers and Amplifiers 15W x 2				
Speakers Speakers (13 cm + 5 cm) x 2				
	Speakers	Speakers		(13 cm + 5 cm) x 2

^{*} Specification and appearance are subjected to change without prior notice. Yamaha Corp. reserves the right to change or modify products or specifications at any time without prior notice. Since specifications, equipment or options may not be the same in every locale, please check with your Yamaha dealer.

Oriental Contents

Oriental Voices	OudTremolo, KanounTremolo, WtarTremolo, Kamancheh, Nay, KawalaVibrato, MejwizLegato, ZokraLegato, MenhayraTrill, WtarSlap, TarTremolo, and more
Oriental Percussion	A3000ArabicKit1-2, A3000MaghrebKit, A3000KhaligKit1-2, A3000IranianKit1-2, TurkishPercKit1-4, and more
Oriental Styles	42 Arabic Styles, 40 Khaligi Styles, 12 Maghrebi Styles, 50 Iran Styles, 50 Turkish Styles

Additional voices and styles can be obtained by installing Expansion Packs.



YAMAHA CORPORATION www.yamaha.com